


P.105e



Colore - Color

Pezzi confezione - Package items

Volume confezione - Package volume

Peso confezione - Package weight

SPO

Ricambi - Spare parts

Accessori - Accessories

Ciclo vita - Life cycle

Temp. di esercizio - Working temp.

LEX

Normative - Norms

More info on page E2-E3 and website on "Directives and regulations" area.



Colore - Color													
Corpo-Body.	Tasto-Push button												
Black	Ral 2008		69995										
	Ral 3000		60702				60852						
Ral 7021	Ral 1018		60902*										
	Ral 5015	60842											
Ral 7043	Ral 3000		63552		61162		61582						
	Ral 5015										61072		
7E86	Ral 3000		61112										
Ral 5002	Ral 3000				63162*								
	Ral 3000				63982								
Ral 5015	Ral 1018			61173	60892*					60582*			
	Ral 1003									61182*			
Ral 3000	Ral 3000		62492								62649		
	Ral 5015	62322			61772					61472			
Ral 1018	Ral 3000	65161	60882		61722								
Ral 6018	Ral 3000		61092										
	Ral 1018				60572*								
Ral 6024	Ral 1023									60912*			

Pulsantiera tasto rialzato - Raised button

P.105e

P.105e ø35 Superficie lucida - Bright surface

Colore - Color			STOP		STOP	HALTE	ARRÊT	ALARM	ALARM	OPPNA						
Corpo-Body	Tasto-Push button															
Black	Ral 5015															65481
	Ral 3000		60983		65471											
	Ral 6027				63173											
Ral 7021	Ral 5015				64503*											
Ral 7040	Ral 5015				61513											
	Ral 3000				66542	64932					60403					
Ral 7043	Ral 5015				64062											
	Ral 3000				64012		69231				68129	67502	67528			
Ral 5002	Ral 3000		67507	65811	60179											
	Ral 1018				60073											
Ral 5015	Ral 5015				63133*											
	Ral 3000															68121
	Ral 1018		65251		63582											
Ral 5017	Ral 3000		69881	68139*	65512						62502*		69961*			
	Ral 1018				69091*											
	Ral 3020		67662													
Ral 3000	Ral 9010				66164^											
	Ral 7043				68532											
	Ral 5015				65651								67548			
	Ral 3000				68171	68462		68771	61453		69157		69147			
	Ral 1018				66552											
Ral 1018	Ral 5015		60222	67427	69211	69213					61258	67532	61278	68903		
	Ral 3000			65997	65182	69309					61268		61288	68743		
	Ral 6018															
	Ral 6027		64749	66038*							68723					
	Ral 6018															
Ral 6024	Ral 1023				68733											
Ral 6025	Ral 1018				67322*											
					68831											

P.105e ø35 Superficie erosa - Matt surface

Colore - Color			STOP		STOP	HALTE	ARRÊT	ALARM	ALARM	OPPNA						
Corpo-Body	Tasto-Push button															
Black	Ral 3000				68033											
Ral 7040	Ral 5015				61561											
Ral 7043	Ral 5015		69861		64142							65979				
	Ral 3000				65969	65899										
	Ral 1018				67929*											
Ral 5015	Ral 1018				68099*	67991										
Ral 1018	Ral 5015		64982		66781						64952		61581			
	Ral 3000				65949	60581										
	Ral 6027		65929	65959*	60982											

P.105e ø40 Superficie lucida - Bright surface

Colore - Color			STOP		STOP	HALTE	ARRÊT	ALARM	ALARM	OPPNA						
Corpo-Body	Tasto-Push button															
Ral 7043	Ral 3000		65291		62409											
Ral 5015	Ral 1018		69901		68011											
Ral 1018	Ral 5015		60232		69181											
	Ral 3000				68211											

Le scritte sui tasti, se non diversamente indicate, sono bianche - The inscriptions, if not differently indicated, are white


* Scritte nere - Inscriptions in black

^ Scritte rosse - Inscriptions in red

° Pulsantiera conforme a regolamento R107.8, paragrafo 3.3.3 - Push button conform to R107.8 regulation, paragraph 3.3.3

Sezione tecnica - Technical section

P.105e



* La forza di serraggio delle pulsantiere dipende:
 - dal materiale di supporto (alluminio, acciaio, INOX).
 - dallo spessore del materiale del tubo.
 - dalla dimensione dei fori eseguiti per permettere l'alloggiamento della vite (come da bibliografia ø 3mm per acciaio e ø 3,25 per INOX) e dal loro corretto interasse.
 - dalla corretta applicazione della vite (in asse o fuori asse con il foro).
 Una forza di serraggio 3-4 N è più che sufficiente per avvitare la vite, se quanto sopra indicato è stato rispettato/eseguito in modo corretto.

* The clamping force of the pushbutton panels depends on:
 - from the support material (aluminum, steel, stainless steel).
 - the thickness of the pipe material.
 - the size of the holes made to allow the screw to be housed (as per bibliography ø 3mm for steel and ø 3.25 for stainless steel) and their correct center distance.
 - the correct application of the screw (in axis or off axis with the hole).
 A 3-4 N tightening force is more than enough to tighten the screw, if the above has been respected / performed correctly.

■ Elenco elementi già esistenti con i quali è possibile realizzare nuove combinazioni per produzioni di almeno 100 pz.
 Further combinations are possible using following existing components for minimum batches of 100 pcs.

P.105e

CORPO - BODY	RIDUZIONE - REDUCTION ø30
ABS	ABS
Black Ral 8022 Ral 7043 Ral 7040 Ral 7021 Ral 7012 Ral 7032 Ral 6025 Ral 6024 Ral 6018 Ral 5017 Ral 5015 Ral 5002 Ral 3000 Ral 1018	Black Ral 8022 Ral 7043 Ral 7040 Ral 7021 Ral 7012 Ral 6025 Ral 6024 Ral 6018 Ral 5017 Ral 5015 Ral 5002 Ral 3000 Ral 1018

P.105e

TASTO - PUSH BUTTON	Sigle e pittogrammi disponibili (in colore nero, bianco, Ral 1018 e Ral 3000) Inscriptions and logos available (black, white, Ral 1018 and Ral 3000 color)
PA66	Tipo Type
White Ral 7043 Ral 6027 Ral 6025 Ral 6018 Ral 5015 Ral 3020 Ral 3000 Ral 2008 Ral 2000 Ral 1023 Ral 1018 Ral 1003	STOP ALARM ARRÊT HALTE СТОП 停 STOP ALARM HALTE STOP ALARM HALTE STOP ALARM HALTE

Per colori e/o logo non esistenti il lotto minimo di produzione è di 1.000 pezzi - For non existing colors and/or logo the minimum batch is 1.000 pcs